


Kołnierze luźne PN 10 (DIN 2642)



Dostępne w gatunkach :1H18N9T H17N13M2T
00H18N10 00H17N14M2, 0H22N24M4TCu

DN	Rura	Kołnierz				Śruby			masa
		Dz	Dw	g	Dp	liczba	gwint	Do	
10	14.0	90,0	16.0	14,0	60,0	4	M 12	14	0,599
	17.2		19.0						
15	18.0	95,0	20.0	14,0	65,0	4	M 12	14	0,689
	20.0		22.0						
	21.3		24.0						
20	23.0	105	26.0	14,0	75,0	4	M 12	14	0,806
	25.0		28.0						
	26.9		30.0						
25	28.0	115	31.0	16,0	85,0	4	M 12	14	1,11
	30.0		33.0						
	33.7		36.0						
32	35.0	140	40.0	16,0	100	4	M 16	18	1,64
	38.0		42.0						
	42.4		46.0						
40	43.0	150	48.0	16,0	110	4	M 16	18	1,86
	44.5		50.0						
	48.3		54.0						
50	54.0	165	59.0	16,0	125	4	M 16	18	2,20
	57.0		62.0						
	60.3		65.0						
65	69.0	185	73.0	16,0	145	4	M 16	18	2,62
	76.1		81.0						
80	84.0	200	90.0	18,0	160	8	M 16	18	3,32
	88.9		94.0						
100	104.0	220	109	18,0	180	8	M 16	18	3,67
	108.0		113						
	114.3		119						
125	129.0	250	134	18,0	210	8	M 16	18	4,54
	133.0		138						
	139.7		145						
150	154.0	285	160	18,0	240	8	M 20	22	5,60
	159.0		164						
	168.3		173						
200	204.0	340	210	20,0	295	8	M 20	22	7,46
	219.1		225						
250	254.0	395	260	22,0	350	12	M 20	22	10,3
	267.0		273						
	273.0		279						
300	306.0	445	311	26,0	400	12	M 20	22	14,0
	318.0		323						
	323.9		329						
350	355.0	505	361	28,0	460	16	M 20	22	18,5
	355.6		362						
	368.0		374						
400	405.0	565	411	32,0	515	16	M 24	26	25,0
	406.4		413						
	419.0		426						
450	456.0	615	465	38,0	565	20	M 24	26	32,6
	457.2		465						
	459.0		465						
500	506.0	670	515	38,0	620	20	M 24	26	37,0
	508.0		517						
	521.0		531						
600	610	780	618	44,0	725	20	M 27	30	56,3
700	711	895	721	50,0	840	24	M 27	30	80,4
800	813	1015	824	56,0	950	24	M 30	33	113,2